

Certificate of Compliance

ADB® EZ-TORQUE® HOIST RINGS

ADB®'s QUALITY SYSTEM IS REGISTERED TO ISO 9001-2015

The material used in our ADB® EZ-Torque® Hoist Ring components is AISI 4140 or equivalent and conforms to ASTM A322 and ASTM A108.

CHEMICAL ANALYSIS

Carbon	.38/.43	Silicon	.15/.35
Manganese	.75/1.00	Chromium	.80/1.10
Phosphorus	.035/Max	Molybdenum	.15/.25
Sulfur	.040/Max		

ADB® EZ-Torque® Hoist Rings are designed with a design factor of five times the rated capacity based in any lifting direction. However, the user is reminded that it should not be used to lift loads that exceed the rated capacity.

If any component or components of the hoist ring is replaced with a non-ADB® component, this certification is void.

ADB® EZ-Torque® Hoist Rings are designed to exceed the following military specifications and ASME standards:

MIL-STD-1365 General design criteria for handling equipment associated

with weapons systems.

MIL-STD-209 Slinging and tie down provisions for lifting and tying down

military equipment.

ASME B30.26 Safety Standards for cableways, cranes, derricks, hoists, hooks,

Jacks and slings.

- The surface finish of ADB® EZ-Torque® Hoist Rings is black oxide coated.
- ADB® EZ-Torque® Hoist Rings are not exposed to any equipment or material known or suspected of having mercury or polychlorinated biphenyls (PCB's).
- ADB® EZ-Torque® Hoist Rings components are NDT inspected per ADB®'s Internal procedures in accordance with ASTM E1444 or ASTM E1417 (NAVSEA testing available upon request).
- ADB® EZ-Torque® Hoist Rings are heat treated to 36-48 RC.
- ADB® EZ-Torque® Hoist Rings critical, load bearing components are hardness tested for material, and heat treat verification.
- Studs are produced from 170,000 PSI minimum tensile strength material.
- ADB® EZ-Torque® Hoist Rings are CE Certified and in conformity with the applicable essential Health and Safety requirements of Machinery Directive 2006/42/EC.
- ADB® EZ-Torque® Hoist Rings comply with DFARS (Defense Federal Acquisition Regulation Supplement)-252.225-7009 Restriction on Acquisition of Certain Articles Containing Specialty Metals.
- Made in U.S.A.
- Unique traceability number laser-marked on each unit for identification and tracking.
- Proof testing done on every standard EZ-Torque® hoist ring manufactured.

Benjie Bradshaw

Vice President/General Manager